


FSB pays tribute to the revered Ludwig Mies van der Rohe with this design. The FSB 1267 is more than just a replica of an original Mies van der Rohe lever handle, however. While retaining the formal thrust of its forebears, our interpretation also conforms to present-day standards and the requirements of modern architecture – now in stainless steel.




Design: Hartmut Weise

🔑 EN 179 model: FSB 1268
 Lever handle with return-to-door

Other variants:
 – square roses
 – oval/angular backplates

Plug-in handle for doors

15 1267




4

Window handle

Plug-in handle for windows



34 1267



Custom-coordinated lifting/sliding door handle available upon request, see page 10


Lever handles for narrow-stile doors


09 1268 (in-line, EN 179)
06 1268 (cranked, EN 179)



Doorknob for narrow-stile doors

07 0809 (cranked)








Lever/knob sets

Doorknob for flush doors

- Aluminium $\varnothing = 50$
- Stainless steel $\varnothing = 55$
- Bronze $\varnothing = 50$

Knob backplates


- Aluminium X = 77 mm
- Stainless steel X = 73 mm
- Bronze X = 72 mm



Product codes for the lever/knob sets can be found on the following pages; for individual components, see page 328 ff.


Lever/lever sets

Broad backplate sets available upon request; for flush-fitted roses, see page 536 f.




- 🔑 12 1267 013 (N)
- 🔑 72 1267 613 (R)
- 🔑 76 1267 613 (R)
- 🔑 79 1268 613 (R)

- 🔑 72 1267 614 (L)
- 🔑 76 1267 614 (L)
- 🔑 79 1268 614 (L)




- 🔑 15 1267 013 (N)




- 🔑 12 1267 007 (N)
- 🔑 72 1267 607 (R)
- 🔑 76 1267 607 (R)
- 🔑 79 1268 607 (R)

- 🔑 72 1267 608 (L)
- 🔑 76 1267 608 (L)
- 🔑 79 1268 608 (L)



- 🔑 12 1267 027 (N)
- 🔑 72 1267 627 (R)
- 🔑 76 1267 627 (R)
- 🔑 79 1268 627 (R)


- 🔑 72 1267 628 (L)
- 🔑 76 1267 628 (L)
- 🔑 79 1268 628 (L)




- 🔑 13 4223 041 (R) with 10 1267 00500 (N)
- 🔑 13 4223 042 (R) with 12 1267 013 (N)
- 🔑 13 4223 042 (R) with 72 1267 613 (R)

- 🔑 13 4223 051 (L) with 10 1267 00500 (N)
- 🔑 13 4223 052 (L) with 12 1267 013 (N)
- 🔑 13 4223 052 (L) with 72 1267 614 (L)

Sets for narrow-stile doors



- 🔑 09 1268 211
- 🔑 09 1268 212
- 🔑 09 1268 223 (ILS)



- 🔑 06 1268 111
- 🔑 06 1268 112

- 🔑 06 1268 023 (ILS)



- 🔑 07 0809 228 (fixed; aluminium and stainless steel)
- 🔑 07 0809 228 (fixed; stainless steel)
- 🔑 07 0809 428 (fixed; aluminium)


For set in bronze with knob 07 0846, see page 481




- 🔑 17 1757

Lever/knob sets


Broad backplate sets available upon request; for flush-fitted roses, see page 536 f.



- | | |
|-----------------|-------------------|
| 12 1267 017 (N) | 72 1267 618 (L) |
| 72 1267 617 (R) | 76 1267 618 (L) |
| 76 1267 617 (R) | 79 1268 618 (L) |
| 79 1268 617 (R) | 79 1268 619 (ILS) |




- | | |
|-----------------|-------------------|
| 12 1267 009 (N) | 72 1267 610 (L) |
| 72 1267 609 (R) | 76 1267 610 (L) |
| 76 1267 609 (R) | 79 1268 610 (L) |
| 79 1268 609 (R) | 79 1268 611 (ILS) |




- | | |
|-----------------|-------------------|
| 12 1267 029 (N) | 72 1267 630 (L) |
| 72 1267 629 (R) | 76 1267 630 (L) |
| 76 1267 629 (R) | 79 1268 630 (L) |
| 79 1268 629 (R) | 79 1268 631 (ILS) |

WC sets


Broad backplate sets available upon request; for flush-fitted roses, see page 536 f.




- | | |
|-----------------|-----------------|
| 12 1267 019 (N) | 72 1267 620 (L) |
| 72 1267 619 (R) | |



- | |
|-----------------|
| 15 1267 019 (N) |
|-----------------|



- | | |
|-----------------|-----------------|
| 12 1267 011 (N) | 72 1267 612 (L) |
| 72 1267 611 (R) | |



- | | |
|-----------------|-----------------|
| 12 1267 031 (N) | 72 1267 632 (L) |
| 72 1267 631 (R) | |

Window handles

Custom-coordinated lifting/sliding door handle available upon request, see page 10



- 34 1267 09030 (rose 27 × 62 × 10)
- 34 1267 09039 (rose 32.5 × 70 × 10)
- 34 1267 09034 (rose 25.5 × 60.5 flush-fitted)
- 34 1267 170 (lock adaptor RC 1–6)
- 34 1267 076 (lock adaptor with push-button RC 1–6)
- 34 1267 711 (plug-in handle for timber/metal profiles, Ø 30)
- 34 1267 751 (plug-in handle for PVC profiles, Ø 30)

N = non-handed
 R = DIN RH, opening inwards
 L = DIN LH, opening inwards
 ILS = inactive-leaf set

Female handles
 Plug-in handle for doors
 FSB ASL®
 FSB AGL®
 FS heavy-duty fitting
 EN 179 heavy-duty fitting

For bearings, see page 52 ff.