



The 'Wittgenstein solution', in which a standard lever handle is paired with a cranked design on the closing side of the door, is one we are very familiar with. Hadi Teherani, by contrast, delivers the function of the cranked handle – reducing the risk of getting your fingers caught – by simply shifting the handle's centre of rotation to the left.




Design: Hadi Teherani

 EN 179 model: FSB 1074
 Lever handle with return-to-door

Other variants:
 – round roses
 – oval/angular backplates

Plug-in handle for doors

15 1183




4

Window handle

Plug-in handle for windows

34 1183





Custom-coordinated lifting/sliding door handle available upon request, see page 10

Lever handles for narrow-stile doors

09 1074 (in-line, EN 179)
06 0644 (cranked, EN 179)


Option without return-to-door:
09 1183 (in-line)

Suitable for backsets of 40 mm upwards




Doorknob for narrow-stile doors

07 0812 (cranked)



Glass door fitting

13 4220 with 10 1183




4

Lever/knob sets

Doorknob for flush doors

Knob backplates


- Aluminium $\varnothing = 50$
- Stainless steel $\varnothing = 55$
- Bronze $\varnothing = 50$




Product codes for the lever/knob sets can be found on the following pages; for individual components, see page 328 ff.

Lever/lever sets


Broad backplate sets available upon request; for flush-fitted roses, see page 536 f.




- 🔑 12 1183 041 (N)
- 🔑 72 1183 641 (R)
- 🔑 76 1183 639 (R)
- 🔑 79 1074 639 (R)
- 🔑 72 1183 642 (L)
- 🔑 76 1183 640 (L)
- 🔑 79 1074 640 (L)




- 🔑 15 1183 013 (N)



- 🔑 12 1183 001 (N)
- 🔑 72 1183 601 (R)
- 🔑 76 1183 601 (R)
- 🔑 79 1074 601 (R)
- 🔑 72 1183 602 (L)
- 🔑 76 1183 602 (L)
- 🔑 79 1074 602 (L)




- 🔑 12 1183 021 (N)
- 🔑 72 1183 621 (R)
- 🔑 76 1183 621 (R)
- 🔑 79 1074 621 (R)
- 🔑 72 1183 622 (L)
- 🔑 76 1183 622 (L)
- 🔑 79 1074 622 (L)



- 🔑 13 4220 041 (R) with 10 1183 00500 (N)
- 🔑 13 4220 042 (R) with 12 1183 041 (N)
- 🔑 13 4220 042 (R) with 72 1183 641 (R)
- 🔑 13 4220 090* with 76 1183 639 (R)
- 🔑 13 4220 090* with 79 1074 939 (N)
- 🔑 13 4220 051 (L) with 10 1183 00500 (N)
- 🔑 13 4220 052 (L) with 12 1183 041 (N)
- 🔑 13 4220 052 (L) with 72 1183 642 (L)
- 🔑 13 4220 090* with 76 1183 640 (L)

Sets for narrow-stile doors



- 🔑 09 1183 271
- 🔑 09 1183 272
- 🔑 09 1074 272
- 🔑 09 1074 273 (ILS)



- 🔑 06 0644 171
- 🔑 06 0644 172
- 🔑 06 0644 073 (ILS)



- 🔑 07 0812 229 (fixed; aluminium and stainless steel)
- 🔑 07 0812 229 (fixed; stainless steel)
- 🔑 07 0812 429 (fixed; aluminium)




- 17 1778


* Fire safety and EN 179 variants available only in stainless steel; for variants, see page 508

Lever/knob sets


Broad backplate sets available upon request; for flush-fitted roses, see page 536 f.



- 12 1183 043 (N)
- 72 1183 643 (R)
- 76 1183 641 (R)
- 79 1074 641 (R)
- 79 1074 643 (ILS)
- 72 1183 644 (L)
- 76 1183 642 (L)
- 79 1074 642 (L)




- 12 1183 003 (N)
- 72 1183 603 (R)
- 76 1183 603 (R)
- 79 1074 603 (R)
- 79 1074 605 (ILS)
- 72 1183 604 (L)
- 76 1183 604 (L)
- 79 1074 604 (L)




- 12 1183 023 (N)
- 72 1183 623 (R)
- 76 1183 623 (R)
- 79 1074 623 (R)
- 79 1074 625 (ILS)
- 72 1183 624 (L)
- 76 1183 624 (L)
- 79 1074 624 (L)

WC sets


Broad backplate sets available upon request; for flush-fitted roses, see page 536 f.




- 12 1183 045 (N)
- 72 1183 645 (R)
- 72 1183 646 (L)



- 15 1183 019 (N)




- 12 1183 005 (N)
- 72 1183 605 (R)
- 72 1183 606 (L)



- 12 1183 025 (N)
- 72 1183 625 (R)
- 72 1183 626 (L)

Window handles

Custom-coordinated lifting/sliding door handle available upon request, see page 10



- 34 1183 09032 (rose 27 × 62 × 10)
- 34 1183 09040 (rose 32.5 × 70 × 10)
- 34 1183 09036 (rose 25.5 × 60.5 flush-fitted)
- 34 1183 180 (lock adaptor RC 1–6)
- 34 1183 086 (lock adaptor with push-button RC 1–6)
- 34 1183 711 (plug-in handle for timber/metal profiles, Ø 30)
- 34 1183 751 (plug-in handle for PVC profiles, Ø 30)

N = non-handed
 R = DIN RH, opening inwards
 L = DIN LH, opening inwards
 ILS = inactive-leaf set

Female handles
 Plug-in handle for doors
 FSB ASL®
 FSB AGL®
 FS heavy-duty fitting
 EN 179 heavy-duty fitting

For bearings, see page 52 ff.