



The FSB logo echoes a lever handle designed by Austrian philosopher Ludwig Wittgenstein in mid-1920s Vienna. This is the original upon which all similar door handle shapes are based. By adding a conical neck and spherical tip we aimed to set ourselves apart from the many other variants of this lever handle on the market.




 EN 179 model: FSB 1146
Lever handle with return-to-door

Other variants:
– square roses
– oval/angular backplates

Plug-in handle for doors

15 1147




4

Window handle

Plug-in handle for windows


34 1147



Lifting/sliding door handle

34 1146 011

For more variants, see page 447




Lever handles
for narrow-stile doors



09 1147 (in-line)


Option with return-to-door:
09 1146 (in-line, EN 179)
06 1146 (cranked, EN 179)
See page 208



Doorknob
for narrow-stile doors




07 0846 (cranked)



Glass door fitting

13 4223 with 72 1147






4

Lever/knob sets

Doorknob for flush doors

Knob backplates


Aluminium X = 77 mm
Stainless steel X = 73 mm



Product codes for the lever/knob sets can be found on the following pages; for individual components, see page 328 ff.


Lever/lever sets

Broad backplate sets available upon request; for flush-fitted roses, see page 536 f.




- 12 1147 013 (N)
- 72 1147 613 (R)
- 76 1147 613 (R)
- 79 1146 613 (R)

- 72 1147 614 (L)
- 76 1147 614 (L)
- 79 1146 614 (L)




- 15 1147 013 (N)




- 12 1147 007 (N)
- 72 1147 607 (R)
- 76 1147 607 (R)
- 79 1146 607 (R)

- 72 1147 608 (L)
- 76 1147 608 (L)
- 79 1146 608 (L)



- 12 1147 027 (N)
- 72 1147 627 (R)
- 76 1147 627 (R)
- 79 1146 627 (R)


- 72 1147 628 (L)
- 76 1147 628 (L)
- 79 1146 628 (L)




- 13 4223 041 (R) with 10 1147 00500 (N)
- 13 4223 042 (R) with 12 1147 013 (N)
- 13 4223 042 (R) with 72 1147 613 (R)

- 13 4223 051 (L) with 10 1147 00500 (N)
- 13 4223 052 (L) with 12 1147 013 (N)
- 13 4223 052 (L) with 72 1147 614 (L)

Sets for narrow-stile doors



- 09 1147 211
- 09 1147 212
- 09 1146 211
- 09 1146 212
- 09 1146 223 (ILS)



- 06 1146 111
- 06 1146 112

- 06 1146 023 (ILS)




- 07 0846 228 (fixed; aluminium and stainless steel)
- 07 0846 228 (fixed; stainless steel)
- 07 0846 428 (fixed; aluminium)




- 17 1757

Lever/knob sets


Broad backplate sets available upon request;
for flush-fitted roses, see page 536 f.



- | | |
|-----------------|-------------------|
| 12 1147 015 (N) | 72 1147 616 (L) |
| 72 1147 615 (R) | 76 1147 615 (R) |
| 76 1147 615 (R) | 79 1146 615 (R) |
| 79 1146 615 (R) | 79 1146 619 (ILS) |




- | | |
|-----------------|-------------------|
| 12 1147 009 (N) | 72 1147 610 (L) |
| 72 1147 609 (R) | 76 1147 609 (L) |
| 76 1147 609 (R) | 79 1146 609 (R) |
| 79 1146 609 (R) | 79 1146 611 (ILS) |




- | | |
|-----------------|-------------------|
| 12 1147 029 (N) | 72 1147 630 (L) |
| 72 1147 629 (R) | 76 1147 630 (L) |
| 76 1147 629 (R) | 79 1146 630 (L) |
| 79 1146 629 (R) | 79 1146 631 (ILS) |

WC sets


Broad backplate sets available upon request;
for flush-fitted roses, see page 536 f.




- | | |
|-----------------|-----------------|
| 12 1147 019 (N) | 72 1147 620 (L) |
| 72 1147 619 (R) | |



- | |
|-----------------|
| 15 1147 019 (N) |
|-----------------|




- | | |
|-----------------|-----------------|
| 12 1147 011 (N) | 72 1147 612 (L) |
| 72 1147 611 (R) | |



- | | |
|-----------------|-----------------|
| 12 1147 031 (N) | 72 1147 632 (L) |
| 72 1147 631 (R) | |

Window handles



- 34 1147 09030 (rose 27 × 62 × 10)
- 34 1147 09039 (rose 32.5 × 70 × 10)
- 34 1147 09034 (rose 25.5 × 60.5 flush-fitted)
- 34 1147 170 (lock adaptor RC 1–6)
- 34 1147 076 (lock adaptor with push-button RC 1–6)
- 34 1147 711 (plug-in handle for timber/metal profiles, Ø 30)
- 34 1147 751 (plug-in handle for PVC profiles, Ø 30)
- 34 1146 011 (lifting/sliding door handle)

N = non-handed
R = DIN RH, opening inwards
L = DIN LH, opening inwards
ILS = inactive-leaf set

Female handles
 Plug-in handle for doors
 FSB ASL®
 FSB AGL®
 FS heavy-duty fitting
 EN 179 heavy-duty fitting

For bearings, see page 52 ff.