


British architect John Pawson subtly revises an iconic Modernist handle – the ‘Reich Shape’ handle by Hans Poelzig – quietly breathing new life into this familiar form. Fabricated in classic bronze, Pawson’s meticulously proportioned design reworks the oval cross-section to produce a handle that is comfortable in the hand and pleasing to the eye – the latest expression of an idea that has been repeatedly modified over the course of nearly a century.



\* Aluminium/stainless steel: 66 mm


Design: John Pawson

🔒 EN 179 model: FSB 1243  
 Lever handle with return-to-door

Other variants:  
 – square roses  
 – oval/angular backplates

Plug-in handle for doors

15 1242




\* Aluminium/stainless steel: 66 mm

4

Window handle

Plug-in handle for windows

34 1242




\* Aluminium/stainless steel: 66 mm



Lifting/sliding door handle

34 1242 011


For more variants, see page 448




Lever handles  
for narrow-stile doors



09 1243 (in-line, EN 179)  
06 1243 (cranked, EN 179)




\* Aluminium/stainless steel: 66 mm



Doorknob  
for narrow-stile doors




07 0846 (cranked)



## Glass door fitting

13 4220 with 10 1242






4

## Lever/knob sets

Doorknob for flush doors

Knob backplates


Aluminium X = 77 mm  
 Stainless steel X = 73 mm  
 Bronze X = 72 mm



Product codes for the lever/knob sets can be found on the following pages; for individual components, see page 328 ff.


## Lever/lever sets

Broad backplate sets available upon request; for flush-fitted roses, see page 536 f.




- 12 1242 013 (N)
- 72 1242 613 (R)
- 76 1242 613 (R)
- 79 1243 613 (R)

- 72 1242 614 (L)
- 76 1242 614 (L)
- 79 1243 614 (L)




- 15 1242 013 (N)




- 12 1242 007 (N)
- 72 1242 607 (R)
- 76 1242 607 (R)
- 79 1243 607 (R)

- 72 1242 608 (L)
- 76 1242 608 (L)
- 79 1243 608 (L)



- 12 1242 027 (N)
- 72 1242 627 (R)
- 76 1242 627 (R)
- 79 1243 627 (R)

- 72 1242 628 (L)
- 76 1242 628 (L)
- 79 1243 628 (L)




- 13 4220 041 (R) with 10 1242 00500 (N)
- 13 4220 042 (R) with 12 1242 013 (N)
- 13 4220 042 (R) with 72 1242 613 (R)

- 13 4220 051 (L) with 10 1242 00500 (N)
- 13 4220 052 (L) with 12 1242 013 (N)
- 13 4220 052 (L) with 72 1242 614 (L)

## Sets for narrow-stile doors



- 09 1243 211
- 09 1243 212
- 09 1243 223 (ILS)



- 06 1243 111
- 06 1243 112

- 06 1243 023 (ILS)




- 07 0846 228 (fixed; aluminium, stainless steel and bronze)
- 07 0846 428 (fixed; stainless steel and bronze)
- 07 0846 428 (fixed; aluminium)




- 17 1757

## Lever/knob sets


Broad backplate sets available upon request;  
for flush-fitted roses, see page 536 f.



- 12 1242 015 (N)
- 72 1242 615 (R)
- 76 1242 615 (R)
- 79 1243 615 (R)
- 79 1243 619 (ILS)
- 72 1242 616 (L)
- 76 1242 616 (L)
- 79 1243 616 (L)




- 12 1242 009 (N)
- 72 1242 609 (R)
- 76 1242 609 (R)
- 79 1243 609 (R)
- 79 1243 611 (ILS)
- 72 1242 610 (L)
- 76 1242 610 (L)
- 79 1243 610 (L)




- 12 1242 029 (N)
- 72 1242 629 (R)
- 76 1242 629 (R)
- 79 1243 629 (R)
- 79 1243 631 (ILS)
- 72 1242 630 (L)
- 76 1242 630 (L)
- 79 1243 630 (L)

## WC sets


Broad backplate sets available upon request;  
for flush-fitted roses, see page 536 f.




- 12 1242 019 (N)
- 72 1242 619 (R)
- 72 1242 620 (L)



- 15 1242 019 (N)




- 12 1242 011 (N)
- 72 1242 611 (R)
- 72 1242 612 (L)



- 12 1242 031 (N)
- 72 1242 631 (R)
- 72 1242 632 (L)

## Window handles



- 34 1242 09030 (rose 27 × 62 × 10)
- 34 1242 09039 (rose 32.5 × 70 × 10)
- 34 1242 09034 (rose 25.5 × 60.5 flush-fitted)
- 34 1242 170 (lock adaptor RC 1–6)
- 34 1242 076 (lock adaptor with push-button RC 1–6)
- 34 1242 711 (plug-in handle for timber/metal profiles, Ø 30)
- 34 1242 751 (plug-in handle for PVC profiles, Ø 30)
- 34 1242 011 (lifting/sliding door handle)

N = non-handed  
R = DIN RH, opening inwards  
L = DIN LH, opening inwards  
ILS = inactive-leaf set

Female handles  
Plug-in handle for doors  
FSB ASL®  
FSB AGL®  
FS heavy-duty fitting  
EN 179 heavy-duty fitting

For bearings, see page 52 ff.